

GP3 GENERAL PURPOSE CLEANER


SAFETY DATA SHEET

According To Australian Model Workplace Health and Safety (WHS) Regulations

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
GHS Product Identifier	Not applicable.
Chemical Name	Not applicable.
Trade name	GP3 GENERAL PURPOSE CLEANER
Product Code	SP-545-10
CAS No.	Mixture
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified use(s)	Cleaning product
Uses advised against	None.
1.3 Details of the supplier of the safety data sheet	
Company Identification	Spray Products Corporation P.O. Box 737 Norristown, PA 19404
Telephone	+1 (610) 277-1010
Fax	+1 (610) 277-4390
E-mail	sds@sprayproducts.com
Distributor	JARZAC GROUP PTY LTD Level 36 Gateway Tower 1 Macquarie PI Sydney NSW 2018 Australia 1300 764 241
Telephone	
1.4 Emergency telephone number	
Emergency Phone No.	Transportation Emergency: CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
GHS Classification	Liquefied gas
2.2 Label elements	
Hazard Symbol	
Signal word(s)	WARNING
Hazard statement(s)	H280: Contains gas under pressure; may explode if heated.
Precautionary statement(s)	P251: Pressurized container: Do not pierce or burn, even after use. P264: Wash (hands and exposed skin) thoroughly after handling. P410+P403: Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/ 122°F. P102: Keep out of reach of children.
2.3 Other hazards	None

GP3 GENERAL PURPOSE CLEANER

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredient(s)	%W/W	CAS No.	Hazard classification
Propane	1 - 5	74-98-6	Flam. Gas 1, H220 Press. Gas (*)
Butane	1 - 5	106-97-8	Flam. Gas 1, H220 Press. Gas (*)
Ethanol	1 – 2	64-17-5	Flam. Liq. 2; H225 Eye Irrit. 2: H319
Methanol	<1	67-56-1	Flam. Liq. 2; H225 Acute Tox. 3; H301, H311, H331 STOT SE 1; H370 (Optic nerve, Central nervous system)
2-Butoxyethanol	1 - 5	111-76-2	Acute. Tox. 4; H302, H312, H332 Skin Irrit. 2; H315 Eye Irrit. 2a; H319
Sodium N-lauroylsarcosinate	<0.1	137-16-6	Acute Tox. 2 (Inhalation); H330 Skin Irrit. 2; H315 Eye Dam. 1; H318
Polyethylene glycol octylphenyl ether	<0.1	9036-19-5	Acute Tox. 4 (oral); H302 Eye Dam. 1; H318
Poly(ethylene oxide)	<0.1	25322-68-3	STOT SE 3: H335

For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation	Move person to fresh air. If breathing is laboured, administer oxygen. If symptoms develop, obtain medical attention.
Skin Contact	Wash affected skin with soap and water. If symptoms develop, obtain medical attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms occur obtain medical attention.
Ingestion	Immediately call a POISON CENTER/doctor. Do not give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed None anticipated

4.3 Indication of the immediate medical attention and special treatment needed None anticipated

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

-Suitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.
-Unsuitable Extinguishing Media	Do not use water jet.

5.2 Special hazards arising from the substance or mixture Pressurised container: May burst if heated

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

GP3 GENERAL PURPOSE CLEANER

clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | | |
|------------|--|---|
| 6.1 | Personal precautions, protective equipment and emergency procedures | Avoid contact with skin and eyes. |
| 6.2 | Environmental precautions | Prevent liquid entering sewers, basements and workpits. |
| 6.3 | Methods and material for containment and cleaning up | Cover spills with inert absorbent material. Transfer to a container for disposal or recovery. |
| 6.4 | Reference to other sections | None |

SECTION 7: HANDLING AND STORAGE

- | | | |
|------------|---|---|
| 7.1 | Precautions for safe handling | Do not pierce or burn, even after use. Avoid contact with skin and eyes. |
| 7.2 | Conditions for safe storage, including any incompatibilities | |
| | -Storage Temperature | Keep in a cool, well ventilated place. Store at temperatures not exceeding 50°C / 122 °F. |
| | -Incompatible materials | This product should be stored away from sources of strong heat or oxidising chemicals. |
| 7.3 | Specific end use(s) | Cleaning product |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
Butane	106-97-8	800	1900			OEL (Australia)
Propane	74-98-6	1000	1800	-----	-----	OEL (Australia)
Ethanol	64-17-5	1000	1880	-----	-----	OEL (Australia)
Methanol	67-56-1	200	262	250	328	OEL (Australia)
2-Butoxyethanol	111-76-2	20	96.9	50	242	OEL (Australia)

Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
None known	None	-----	None	None

- | | | |
|--------------|--------------------------------------|--|
| 8.1.2 | Recommended monitoring method | NIOSH 1500 (hydrocarbons, B.P. 36 - 216 °C); NIOSH 1400 (Alcohols I); NIOSH 1403 (Alcohols IV) |
|--------------|--------------------------------------|--|

8.2 Exposure controls

- | | | |
|--------------|---|---|
| 8.2.1 | Appropriate engineering controls | Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapour etc) below recommended exposure limits. |
|--------------|---|---|

8.2.2 Personal protection equipment

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



GP3 GENERAL PURPOSE CLEANER

Skin protection (Hand protection/ Other)



Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)

Respiratory protection



In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Not normally required.

8.2.3 Environmental Exposure Controls

None assigned.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid / Liquefied gas
Colour	Clear
Odour	Not available
Odour Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	Not available
Flash Point (°C)	-104 (Propane)
Evaporation rate	Not available
Flammability (solid, gas)	Non-flammable Aerosol
Explosive limit ranges	2.1% - 9.5% v/v (Propane)
Vapour Pressure (Pascal)	ca. 95×10^4 (Propane)
Vapour Density (Air=1)	ca. 1.56 @ 0°C (Propane)
Density (g/ml)	Not available
Solubility (Water)	Not available
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Temperature (°C)	450 (Propane)
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cP)	<20
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable.
10.3 Possibility of hazardous reactions	None anticipated.
10.4 Conditions to avoid	Avoid contact with heat and ignition sources.
10.5 Incompatible materials	Strong oxidising agents
10.6 Hazardous Decomposition Product(s)	None known

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Substances

Not applicable

11.1.2 Mixtures

Calculated

LD50 (oral): >5000 mg/kg (rat)

11.1.3 Substances in preparations / mixtures

Methanol (CAS# 67-56-1)

GP3 GENERAL PURPOSE CLEANER

Acute toxicity *	LD50 (oral, monkey): 7000 mg/kg-bw LD0 (oral, rat): \geq 2528 mg/kg-bw LC50 (inhal., cat, 6-hours): 43.68 mg/L LC50 (inhal., monkey, 4-hours): 52 mg/L Ingestion may damage the optic nerve. May cause dizziness and drowsiness.
Irritation	May cause eye irritation.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	NOAEC (2-yr. inhal., mouse): \geq 1.3 mg/L
Developmental Toxicity	Negative. Not a specific developmental toxin.
Toxicity for reproduction	Negative. Not a specific reproductive toxin.
Mutagenicity	Negative
Carcinogenicity	Probably not carcinogenic to humans.
Other information	* ATE (oral) = 100 mg/kg * ATE (dermal) = 300 mg/kg * ATE (inhalation) = 3 mg/L *ATE = Acute Toxicity Estimate for purposes of classification
Propane (CAS# 74-98-6):	
Acute toxicity	Inhalation: LC50 = 1237 mg/L (2-hr, mouse, gas)
Irritation/Corrosivity	No evidence of irritant effects from normal handling and use.
Sensitisation	It is not a skin sensitiser.
Repeated dose toxicity	NOAEC: \geq 19678 mg/m ³ (28-day, rat, Systemic effects) LOAEC: 21641 mg/m ³ (28-day, rat, effects: Body weight)
Carcinogenicity	No data. It is unlikely to present a carcinogenic hazard to man.
Mutagenicity	There is no evidence of mutagenic potential.
Reproductive toxicity	None anticipated

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
12.1.1 Substances in preparations / mixtures	
Short term (calculated)	LC50 (96 hour): >100 mg/L (<i>Fish</i>)
Long Term (calculated)	NOAEC (28 days): >100 mg/l (<i>Fish</i>) QSAR

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
-------------------------------------	--

SECTION 14: TRANSPORT INFORMATION

	Land transport (ADG)	Sea transport (IMDG)	Air transport (ICAO/IATA)
14.1 UN number	1950	1950	1950
14.2 Proper Shipping Name	Aerosols, non-flammable	Aerosols, non-flammable	Aerosols, non-flammable
14.3 Transport hazard class(es)	2.2	2.2	2.2
14.4 Packing Group	Not applicable	Not applicable	Not applicable
14.5 Environmental hazards	None assigned	None assigned	None assigned
14.6 Special precautions for user	None assigned	None assigned	None assigned
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:	
15.1.1 National regulations	Listed

GP3 GENERAL PURPOSE CLEANER

Dangerous to the ozone layer.	No.
Persistent Organic Pollutants	No.
Export/Import of Dangerous Chemicals	No.
15.2 Chemical Safety Assessment	Not applicable

SECTION 16: OTHER INFORMATION

Additional Information None

The following sections contain revisions or new statements: 1-16.

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H220: Extremely flammable gas.
- H225: Highly flammable liquid and vapour.
- H301: Toxic if swallowed.
- H302: Harmful if swallowed.
- H311: Toxic in contact with skin.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H330: Fatal if inhaled.
- H331: Toxic if inhaled.
- H332: Harmful if inhaled.
- H335: May cause respiratory irritation.
- H370: Causes damage to organs.

Training advice: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.